


Applied Luxury





Fhiaba Concept

the design and development process resulting in the comprehensive



FI24BWR-RGO · FI30Bi-LO FI30Bi-RO *with glass door accessory

History of Fhiaba

After more than 30 years in the commercial market, The Baron family turns


Professional Performance


systems for each of the compartments, with a continuous and precise

Fhiaba's ProPerformance technology guarantees an even distribution of



FP30Bi-LS · FP24BWR-RGS





FI30BDW-LGO · FI30BDi-LO





FM24BWR-RGS

Series StandPlus

The StandPlus Series products offer unmatched freedom of positioning as free-standing or built-in installations thanks to Fhiaba's advanced technical solutions and to its proportioned and elegant design features, which will enhance the finest interiors.

Models from this series are available for food or wine preservation, with two or three separate temperature zones, and in three widths: 36" for food preservation appliances, 24" for wine cellars.

All models are equipped with Fhiaba's TriMode™ bottom drawer. Models with three separate temperature zones include Fresco drawers in the fridge interior or a dedicated Riserva[™] section in wine cellars. Units can be combined to create complete food and wine preservation systems, which can be installed as built-in or in a free-standing configuration removing the need for surrounding cabinetwork or trims.

Models from the StandPlus Series can be combined to create a custom configuration and thanks to their modern and distinctive lines will create elegant and refined surroundings.

Fhiaba Features

Sin and	
-	Tri <i>N</i>

Fridge, Fresco or Freezer: choose the function of the bottom drawer through Fhiaba Access menu and modify the operating temperature.

ode

This adds flexibility, especially if multiple units are combined in one installation.



Soft closing systems

State-of-the-art silent and soft drawers, every minimal effort.

time and with the



Shopping

By selecting the Shopping function for the Fridge or TriMode[™] drawer, the refrigerator will be ready to accept large quantities of ambient temperature product and quickly bring them to a safe preservation temperature.



Antibacterial interiors

Stainless steel interiors are treated mechanically to reach maximum smoothness and inhibit bacteria growth. Absence of sharp corners and interstices simplifies cleaning, eliminating spots where food debris could be hard-to-reach.



Three layers of protection

Fhiaba Wine Cellars are the only ones featuring a triple-paned bronzed glass door to guarantee maximum protection from UV rays and sudden temperature changes of the external environment.





FP30Bi-LS · FP24Bi-RS

Series X-Pro

The latest addition to the Fhiaba range, X-Pro models can transform any interior into a state-of-the-art professional kitchen, worthy of professional chefs.

The X-Pro design, featuring a heavy-duty top ventilation grille and strong tubular stainless steel handles, has been developed to satisfy requests for a professional-grade kitchen at home, which reflects the highly technological features of the refrigeration system within each Fhiaba. Models from this series are available for food or wine preservation, in three different widths: 24" for wine cellars and 24", 30" or 36" for food preservation units.

All models are equipped with Fhiaba's TriMode[™] bottomdrawer and a large fridge compartment featuring two LowTemp[™] stainless steel drawers, dedicated to fresh food preservation, such as fruits and vegetables, dairy, meat and fish.

Fhiaba Features



OptiView™

Two LED arrays light the refrigerator from above, while individual spot lights illuminate distinct areas of the fridge compartment, Fresco and TriMode drawers. LED lights are virtually everlasting with minimum energy consumption.



EvenLift™

EvenLift[™] shelves, a standard fitting on all models, can be adjusted at any height of the fridge compartment, thanks to Fhiaba's patented sliding device. Shelves can be rearranged in just a few seconds, without removing them from the fridge or emptying them of their contents.



Anti-Vibration

Full protection from vibration thanks to the effective compressor insulation and by soft closing systems on each and every wooden shelf to protect bottles from shocks.



Ice Cubes Dimensions

Through the Ice Maker menu it is possible to select the dimension of the ice cubes between two sizes: Large or Medium.



Vacation

In order to minimize energy consumption during short vacation periods, activation of the Vacation function is highly suggested. It will limit compressors' work to optimize preservation and consumption. User can select the length of vacation period.







Series Integrated

FI30BDW-LGO - FI30BDI-RO

8 zones, in three different widths: 24" for wine cellars, 24",

Fhiaba Features



EquiLance™



Total No Frost

quicker return to normal operating temperature thanks to a significant



Riserva™



TriPro™



ProVent™



3-Zone Models

Single door and one bottom drawer configuration with three independent electronically controlled temperature zones























2-Zone Models

Single door and one bottom drawer configuration with two electronically controlled temperature sections with three temperature zones



FI36Bi-LO Fridge with Low Temp drawers TriMode Bottom-Drawer



TriMode™

LED Lighting

Equilance™

Total No Frost



Closing Systems



Three layers of protection

Fvenlift™



Evenlift™

e lce





Water Filter




Rottle (

Bottle Cooler

2-Zone Models

Single door and two bottom drawers configuration with two electronically controlled temperature sections with two temperature zones













Vacation



Column Models

All Freezer, All Refrigerator or All Wine units with precision controlled, single purpose preservation





FI24FCi-LO Freezer











Vacation



Fridge

FI30RC-RO

Series StandPlus







Product Features

StandPlus Series

Specifications

Outside Dimensions	
Width in	n
Height in	n
Depth in	n
Weight Net Ib	b
Niche Dimensions	
Height in	n
Width in	n
Depth in	n
Door Clearance in	n
Door Opening Angle °<	<

Technical Specifications

Fridge/Wine Cellar compartment gross capacit	y cbft	
TriMode compartment gross capacity	cbft	
Bottle Capacity	bott	

Features

Fridge/Riserva Compartment	
Shelves	
Door Bins	
Fresco/Wine Cellar Compartment	
Shelves	
Drawers	
TriMode Compartment	
Large Drawers	
Inner Drawer	

Model Options

Door Opening Left/Right	L/R	
Ice Maker	i	

<u>16</u>* for models with Ice Maker



FM36BFi-LS FM36BFi-RS



FM24BWR-LGS FM24BWR-RGS

35 3/8"		23 5/8"
84"		84"
24 3/4" *v	w/o handle	24 3/4" *w/o handle
606		463
84"		84"
36"		24"
24"		24"
57 7/8"		46"
105		105
10.5		0.5
13.5		8.5
4.8		3
-		54
2+2		6
3		
5		-
		3
2 Fresco		-
2 112500		-
1		1
	*	
1+ice tray	۶^ ۷^	1







Product Features

X-Pro Series

Specifications



FP36Bi-LS FP36Bi-RS

Outside Dimensions		
Width	in	35 3/8"
Height	in	84"
Depth	in	24 3/4" *w/o handle
Weight Net	lb	540
Niche Dimensions		
Height	in	84"
Width	in	36"
Depth	in	24"
Door Clearance	in	57 7/8"
Door Opening Angle	°<	105

Technical Specifications

Fridge/Wine Cellar compartment gross capacit	y cbft	14.5
TriMode compartment gross capacity	cbft	4.8
Bottle Capacity	bott	-

Features

Fridge/Riserva Compartment	
Shelves	2
Door Bins	3
Fresco/Wine Cellar Compartment	
Shelves	-
Drawers	2 Low Temp
TriMode Compartment	
Large Drawers	1
Inner Drawer	1+ice tray*
	·

Model Options

Door Opening Left/Right	L/R	\checkmark
Ice Maker	i	Y

20 $\,^*$ for models with Ice Maker



29 1/2"	23 5/8"	23 5/8"
84"	84"	84"
24 3/4" *w/o handle	24 3/4" *w/o handle	24 3/4" *w/o handle
507	430	463
84"	84"	84"
30"	24"	24"
24"	24"	24"
52"	46"	46"
105	105	105
11.5	9	8.5
4	3.1	3
-	-	54
2	2	6
3	3	-
_	_	3

-	-	3
2 Low Temp	2 Low Temp	-
1	1	1
1+ice tray*	1+ice tray*	1

V	<i>۲</i>	v .
V	\checkmark	-



Series Integrated



Maga



Product Features

Integrated Series

Specifications



FI36BFi-LO FI36BFi-RO

Outside Dimensions		
Width	in	35 3/8"
Height	in	84"
Depth	in	24"
Weight Net	lb	529
Niche Dimensions		
Height	in	84"
Width	in	36"
Depth	in	24"
Door Clearance	in	57 7/8"
Door Opening Angle	°<	105

Technical Specifications

Fridge/Wine Cellar compartment gross capacity	/ cbft	13.5
TriMode compartment gross capacity	cbft	4.8
Bottle Capacity	bott	-

Features

Fridge/Riserva Compartment	
Shelves	2+2
Door Bins	3
Fresco/Wine Cellar Compartment	
Shelves	-
Drawers	2 Fresco
TriMode Compartment	
Large Drawers	1
Inner Drawer	1+ice tray*

Model Options

Door Opening Left/Right	L/R	\checkmark
Ice Maker	i	V

24 $\,\,^*$ for models with Ice Maker



35 3/8"	29 1/2"	23 5/8"	23 5/8"
84"	84"	84"	84"
24"	24"	24"	24"
474	430	364	386
84"	84"	84"	84"
36"	30"	24"	24"
24"	24"	24"	24"
57 7/8"	52"	46"	46"
105	105	105	105
14.5	11.5	9	8.5
4.8	4	3.1	3
-	-	-	54
2	2	2	6
3	3	3	-

3	3	3	-
-	-	-	3
2 Low Temp	2 Low Temp	2 Low Temp	-
1	1	1	1
1+ice tray*	1+ice tray*	1+ice tray*	1

\checkmark	V	\checkmark	\checkmark
\checkmark	\checkmark	V	-



Product Features

Integrated Series



FI36BDi-LO FI36BDi-RO

Specifications

35 3/8"
0.4"
84"
24"
474
84"
36"
24"
57 7/8"
105

Technical Specifications

Fridge/Wine Cellar compartment gross capacity	y cbft	12.8
TriMode compartment gross capacity	cbft	6.7
Bottle Capacity	bott	-

Features

Fridge/Riserva Compartment	
Shelves	3
Door Bins	3
Fresco/Wine Cellar Compartment	
Shelves	-
Drawers	1 Low Temp
TriMode Compartment	
Large Drawers	1
Inner Drawer	1+ice tray*

Model Options

Door Opening Left/Right	L/R	V
Ice Maker	i	\checkmark

 $26\,$ * for models with Ice Maker



FI30BDW-LGO FI30BDW-RGO



FI30BDi-LO FI30BDi-RO

29 1/2"	29 1/2"	
84"	84"	
24"	24"	
430	452	
 84"	84"	
30"	30"	
 24"	24"	
 52"	52"	
105	105	
 10.5	10.5	
 5.5	5.5	
-	72	
 3	9	
 3	-	
 -	-	
1 Low Temp	-	
1	1	
 1+ice tray*	1	

\checkmark	\checkmark
\checkmark	-



Product Features





Integrated Column Series

FI36RC-LO FI36RC-RO

FI30RC-LO FI30RC-RO

Specifications

Outside Dimensions			
Width	in	35 3/8"	29 1/2"
Height	in	84"	84"
Depth	in	24"	24"
Weight Net	lb	474	430
Niche Dimensions			
Height	in	84"	84"
Width	in	36"	30"
Depth	in	24"	24"
Door Clearance	in	57 7/8"	52"
Door Opening Angle	°<	105	105

Technical Specifications

Gross capacity	cbft	21.4	17
Bottle Capacity	bott	-	-

Features

Fridge/Freezer Compartment		
Shelves	3	3
Door Bins	4	4
Drawers	3 Low Temp	3 Low Temp
Riserva Compartment		
Shelves	-	-
Wine Cellar Compartment		
Shelves	-	-

Model Options

Door Opening Left/Right	L/R	\checkmark	V
Ice Maker	i	-	-

FI24RC-LO FI24RC-RO	FI24WCR-LGO FI24WCR-LGO	Freezer Column	FI30FCi-LO FI30FCi-RO	FI24FCi-LO FI24FCi-RO
23 5/8"	23 5/8"		29 1/2"	23 5/8"
84"	84"		84"	84"
24"	24"		24"	24"
364	430		452	419
84"	84"		84"	84"
24"	24"		30"	24"
24"	24"		24"	24"
46"	46"		52"	46"
105	105		105	105
13	13		17	13
-	99		-	-
3	-		2	2
4	-		2	2
3 Low Temp	-		3	3
-	6		-	_
-	5+1 display shelf		-	-





Accessories

Joining Kits and Trims

KCCITU	Joining Kit for Integrated Series
KCCMT	Joining Kit for X-Pro Series with separate grills and M Series
KCCIT	Joining Kit for X-Pro Series sharing one piece grill
КСІХВ	Stainless "J" Trim for Stand Proud installation for X-Pro Series

One Piece Grill and Toe Kick Kits for X-Pro Series

XPRO120TOP	Kit for 24 + 24 combo
XPRO135TOP	Kit for 24 + 30 combo
XPRO150TOP	Kit for 24 + 36 combo or 30 + 30 combo
XPRO165TOP	Kit for 36 + 30 combo
XPRO180TOP	Kit for 36 + 36 combo
XPRO210TOP	Kit for 30 + 30 + 30 combo or a 24 + 30 + 36 combo
XPRO60TOP	Grill for 24 only
XPRO75TOP	Grill for 30 only
XPRO90TOP	Grill for 36 only

Glass door

PDR36-LGS	Glass door for 36" X-PRO series, Left Swing
PDR36-RGS	Glass door for 36" X-PRO series, Right Swing
PDR30-LGS	Glass door for 30" X-PRO series, Left Swing
PDR30-RGS	Glass door for 30" X-PRO series, Right Swing
IDR36-LGS	Glass door for 36" Integrated series, Left Swing
IDR36-RGS	Glass door for 36" Integrated series, Right Swing
IDR30-LGS	Glass door for 30" Integrated series, Left Swing
IDR30-RGS	Glass door for 30" Integrated series, Right Swing

Pinox panels

PINOX899TU	SS Panel Kit (Door & Drawer)
PINOX899TGU	SS Panel Kit for glass door models (Door & Drawer)
PINOX749TU	SS Panel Kit (Door & Drawer)
PINOX749TGU	SS Panel Kit for glass door models (Door & Drawer)
PINOX599TU	SS Panel Kit (Door & Drawer)
PINOX599TGU	SS Panel Kit for glass door models (Door & Drawer)
PINOX8990HU	SS Panel Kit (Door & Two Drawers)
PINOX7490HU	SS Panel Kit (Door & Two Drawers)
PINOX7490HGU	SS Panel Kit for glass door models (Door & Two Drawers)

Handles

HV	Vertical tubular handle
HO8	Horizontal tubular handle for 899
HO7	Horizontal tubular handle for 749
HO5	Horizontal tubular handle for 599

Additional Accessories

S04000200	Extra-long anti-tilting bracket
KAC16	Anti condensation kit
RPOOKP	Cleaning kit
RP00PG	Ice Scoop

FULL TWO YEAR TOTAL PRODUCT WARRANTY*

For two years from the original date of purchase, the Fhiaba product warranty covers all parts and labor to repair or replace, under normal residential use, any part of the product proving to be defective in materials or workmanship.

FULL FIVE YEAR SEALED SYSTEM

PRODUCT WARRANTY - PARTS AND LABOR**

For the first five years from the original date of installation, the Fhiaba product warranty will cover all parts and labor to repair or replace, under normal residential use, the compressor, condenser, evaporator, drier and all connecting tubing that prove to be defective in materials or workmanship.

LIMITED TWELVE YEAR SEALED SYSTEM

PRODUCT WARRANTY - PARTS ONLY

For the first twelve years from the original date of installation, the Fhiaba product warranty covers all parts that prove to be defective in materials or workmanship in the sealed system (parts only). The sealed system consists of the compressor, condenser, evaporator, drier and all connecting tubing.

For full details pertaining to the Fhiaba warranty, please refer to www.fhiaba.com

* Stainless steel doors, panels, product frames and interior surfaces are covered by a limited 30-day parts only warranty for cosmetic defects.

**Replacement water filters are not covered by the product warranty.

Fhiaba srl is constantly researching new ways to improve the features and the design of their products, therefore models are often upgraded and reviewed.



www.fhiaba.com

